


NEW IDEAS. NEW SOLUTIONS.

www.electronicofficesystems.com PH: (973) 808-0100 330 Fairfield Road Fairfield, NJ 07004



A4 Multifunction Color







A cut above the rest: achieve superior color output with an intuitive, compact design

In today's dynamic work environment, efficiency, sustainability and security aren't just perks, they are necessities. Meet the RICOH IM C320F — a compact and feature-rich multifunction printer ideal for companies seeking quality and affordability in an environmentally-friendly print solution. It is designed for workgroups that utilize advanced software solutions to streamline workflow and boost worker productivity.

Elevate performance with intelligent, sustainable features

Perfect for space-constrained environments, the IM C320F is compact and sits easily on a desktop, while an optional paper tray and cabinets allow for expansion to a floor-standing device. With a sleek and modern design, it is perfect for those who require secured, fast output and reliable performance without compromising on footprint or quality.

Key features



A powerful all-in-one solution:

Print, copy, scan and fax functionalities, with print/copy speed of 32 pages per minute



Vibrant color:

High-quality, detailed color output to produce impressive visuals and professional-grade prints for all your office documents



Effortless integration:

Fits seamlessly into your existing network with full connectivity options



Get right to work:

Designed for easy setup and featuring a large intuitive smart operation panel to keep your office running smoothly



Eco-friendly, lightweight design:

Committed to sustainability using 50% post-consumer recycled plastic in the mainframe and 31% reduction in plastic packaging



Energy efficiency:

ENERGY STAR-certified devices offer new low-melt toner technology and among the lowest in class TEC values for reduced energy consumption



Comprehensive security:

Protect your data with built-in user authentication and the latest data network security standard, TLS 1.3

Designed for all your business needs — and more

Ricoh's intelligent devices let you digitize your document workflows and gain fast and secured access to your information when needed. And by adding software solutions, apps and cloud services, you can customize the IM C320F to support every stage of your business growth. Ricoh is committed to innovative solutions that are both sustainable and security-focused, delivering customers a great experience.

RICOH IM C320F MAIN SPECIFICATIONS

GENERAL

Warm-up time Less than 32 seconds

Recovery time 10 seconds

First copy time (B/W / Full Color)

First print time (B/W / Full Color)

Continuous output speed
(B/W / Full Color)

S.8 seconds / 6.6 seconds

3.6 seconds / 4.8 seconds

32 ppm / 32 ppm (simplex);
(B/W / Full Color)

16 ppm / 16 ppm (duplex)

Memory: standard 6GB (2GB mainframe and 4GB SOP)

Storage 64GB eMMC (Standard); 256GB SSD (Optional)

50 sheets

Single-Pass Document Feeder

(SPDF) capacity

Weight 29.9kg / 65.8 lbs.

Dimensions: W x D x H 16.1" x 16.9" x 19.0"

(410 mm x 429 mm x 483 mm)

Power source 120V-127V, 60Hz

COPIER

Multiple copying Up to 999 copies
Copy resolution: maximum Up to 600x600 dpi

Zoom From 25%-400% in 1% increments

PRINTER

CPU QB6640-23UF 1.2GHz

Printer language: standard PCL6, PostScript®3™ Emulation, PDF Direct Print Emulation
Printer language: optional Genuine Adobe® PostScript®3™, Adobe® PDF Direct Print

Print resolution: maximum Up to 1200 x 1200 dpi

Network interface: standard Mainframe: 10BASE-T/100BASE-TX/1000BASE-T

(Gigabit Ethernet); USB Host Type A–1 port (for service use only); USB Device Type B–1 port

SD Card slot; SOP: Bluetooth 5.2; USB Host Type A-1 port

Network interface: optional Wireless LAN (IEEE 802.11 a/b/g/n/ac)

Mobile printing capability AirPrint®, Mopria®, RICOH Smart Device Connector

Fonts: standard 80 Roman fonts + 13 International fonts

Fonts: PS3 optional 136 Roman fonts (with Genuine Adobe PostScript®3™ option)
Windows® environments Windows 10 (32-/64-bit), 11, Server 2016, Server 2019, Server 2022

Mac OS environments Mac OS 11 and later

SAP® environments
SAP R/3, SAP S/4 (optional Unicode font package required)
Citrix environments
Citrix XenDesktop 7.0/7.1, Citrix XenApp 7.5 and later

SCANNER

Scanning speed: B/W / Full Color 30 ipm (simplex) / 60 ipm (duplex)

Resolution: maximum Up to 600dpi

Compression method B/W: TIFF (MH/MR/MMR), JPEG (Grayscale), PDF

Color: PDF, JPEG

File Formats Single Page: TIFF, JPEG, PDF, PDF/A, High Compression PDF, Encrypted PDF, Searchable PDF

(OCR Option required)

Multi Page: TIFF, PDF (Default), PDF/A, High Compression PDF, Encrypted PDF, Searchable PDF

(OCR Option required)

Scan modes Network: TCP/IP Scan to Folder: SMB, FTP

Sending E-mail: SMTP, IMAP4 Web Services on Devices for Scanning

FAX

Circuit PSTN, PBX
Transmission speed 3 seconds
Modem speed: maximum 33.6 Kbps

Resolution: standard 8 x 3.85 line/mm, 200x100dpi (std.), 8 x 7.7 line/mm, 200x200dpi (Detail, Photo)

Compression method MH, MR, MMR, JBIG

Scanning speed Simplex/duplex 30 / 60 ipm (200dpi-B/W/A4SEF) 30 / 60 ipm (200dpi-FC/A4SEF)

Memory 4 MB (320 pages) standard; 60MB (4,800 pages) optional

RICOH IM C320F MAIN SPECIFICATIONS

PAPER HANDLING

Supported paper size Standard Paper Tray: Up to 8.5" x 11" / A4

Optional Paper Tray: Up to 8.5" x 14" Bypass: Up to Up to 8.5" x 14", Envelopes

Paper input: standard 300 sheets (250-sheet tray plus 50-sheet bypass)

Paper input: maximum 800 sheets (250-sheet standard tray plus 500-sheet optional paper bank and 50-sheet bypass)

Paper output 150 sheets (face down)

Paper weight Standard/Optional Trays: 16 - 53 lb. Bond/110 lb. Index (60 - 200 g/m²)

Bypass Tray: 16 - 53 lb. Bond/110 lb. Index (60 - 200 g/m²) Duplex Unit: 16 - 43 lb. Bond/90 lb. Index (60 - 163 g/m²)

Paper types Plain Paper, Recycled Paper, Colored Paper, Special Paper 1-3, Letterhead, Preprinted Paper, Bond Paper,

Cardstock, Label Paper, Backing Paper, Envelopes, Coated Paper

SECURITY FEATURES

to network

Prevent unauthorized access 802.1x wired authentication User code authentication

to device IEEE 802.11 security (WEP, WPA, WPA2, WPA3) Wi-Fi Protected Setup (WPS) support

Quota setting/Account limit

User authentication—Windows, LDAP via

Kerberos, basic

Prevent unauthorized access IP filtering—access control Secure Sockets Layer (SSL) communication

IPsec communication Transport Layer Security (TLS 1.3)
Network protocol on/off Network user authentication

S/MIME SNMPv3

SMTP over SSL/TLS

Protection of Machine data encryption Mask type for copying/Data security for copying

confidential information Authentication password encryption Encrypted secure print
Unauthorized copy prevention—print and copy Encrypted PDF Mode

Compulsory security stamp

ENVIRONMENTAL FEATURES

Power consumption: maximum 1,500 W or less

Power consumption: ready / sleep 120 W or less / 0.58 W (nominal)

Typical Energy Consumption (TEC)* 0.29 kWh

*A reference value based on the ENERGY STAR Ver.3.0 test method.

CONSUMABLES

Toner (black)* Print Cartridge Black IM C320: 16,000 pages

Toner (cyan/magenta/yellow)* Print Cartridge Cyan IM C320, Print Cartridge Magenta IM C320, Print Cartridge Yellow IM C320:

10,000 pages each

Waste Toner Bottle** Waste Toner Bottle IM C320: 11,000 pages

*Declared toner yield in accordance with ISO/IEC 19798; ** Yield based on 5% coverage at 3 pages/job.

PAPER SUPPLY OPTIONS

500-Sheet Paper Feed Unit PB1210, Low Cabinet Type A9, High Cabinet Type A10

OTHER OPTIONS

256GB SSD Option Type M57, IEEE 802.11a/b/g/n/ac Interface Unit Type M57, PostScript®3™ Unit Type M57, OCR Unit Type M54, 64MB Fax Memory Unit Type M57, Card Reader Cover Type M57, Unicode font package for SAP

Some options may not be available at the time of market release.

Specifications are subject to change without notice.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

Some features may require additional options and/or charges.





















